

---

**1. Identification**

---

**Product identifier** CUTEK® Colortone White Wash/ Blondetone  
**Other means of identification** Not available.  
**Recommended use** Colortone pigment for addition into CUTEK® Oils.  
**Recommended restrictions** None known.

**Manufacturer/Importer/Supplier/Distributor information****Distributor**

<b>Company name</b>	CUTEK America LLC	Deck Source Inc.
<b>Address</b>	6810 Tordera St Coral Gables, FL 33146 USA	22 Winstar Rd, Unit 1 Oro-Mednote, ON L0L 2E0 Canada

**Telephone** 1-833-MY-CUTEK (1-833-692-8835)

**E-mail** Not available.

**Emergency phone number** **EMERGENCY CONTACT:** 1-855-237-5573  
**POISON CONTROL HOTLINE:** 1-800-222-1222

---

**2. Hazard identification**

---

**Physical hazards** Flammable liquids Category 4  
**Health hazards** Specific target organ toxicity, single exposure Category 3 narcotic effects  
**Environmental hazards** Not classified.  
**WHMIS 2015 defined hazards** Not classified  
**Label elements**



**Signal word** Warning

**Hazard statement** Combustible liquid.  
May cause drowsiness or dizziness.

**Precautionary statement**

**Prevention** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing mist or vapor. Use only outdoors or in a well-ventilated area. Wear protective gloves, protective clothing, eye protection and face protection.

**Response** In case of fire: Use carbon dioxide, dry chemical, water spray, or foam to extinguish.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.

**Storage** Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal** Dispose of container in accordance with local, regional, national and international regulations.

**WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)** None known

**WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)** None known

**Hazard(s) not otherwise classified (HNOC)** None known.

**Supplemental information** None.

---

**3. Composition/Information on ingredients**

---

**Mixture**

Chemical name	Common name and synonyms	CAS number	%
Cyclohexanone Oxime		100-64-1	< 0.1

Chemical name	Common name and synonyms	CAS number	%
1-Propanol, 2-methyl-		78-83-1	0.1 - 1 *
Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy -, C7_9-branched alkyl esters		125643-61-0	0.5 - 1.5 *
Naphtha (petroleum), hydrotreated heavy		64742-48-9	15 - 40 *
Titanium oxide		13463-67-7	80 - 100 *

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments** \*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.  
US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

#### 4. First-aid measures

<b>Inhalation</b>	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.
<b>Skin contact</b>	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.
<b>Eye contact</b>	Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Get medical attention if symptoms occur.
<b>Most important symptoms/effects, acute and delayed</b>	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Direct contact with eyes may cause temporary irritation.
<b>Indication of immediate medical attention and special treatment needed</b>	Treat patient symptomatically.
<b>General information</b>	If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

#### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire-fighting equipment/instructions</b>	In case of fire and/or explosion do not breathe fumes.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	Combustible liquid.
<b>Hazardous combustion products</b>	May include and are not limited to: Oxides of carbon.

#### 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Avoid breathing mist or vapor. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
<b>Environmental precautions</b>	Do not discharge into lakes, streams, ponds or public waters.

## 7. Handling and storage

<b>Precautions for safe handling</b>	Keep away from open flames, hot surfaces and sources of ignition. Wear appropriate personal protective equipment. Provide adequate ventilation. Avoid prolonged exposure. Observe good industrial hygiene practices. Wash thoroughly after handling. When using, do not eat, drink or smoke.
<b>Conditions for safe storage, including any incompatibilities</b>	Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children. Store locked up.

## 8. Exposure controls/Personal protection

### Occupational exposure limits

#### Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value
1-Propanol, 2-methyl- (CAS 78-83-1)	TWA	152 mg/m3 50 ppm
Titanium oxide (CAS 13463-67-7)	TWA	10 mg/m3

#### Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value	Form
1-Propanol, 2-methyl- (CAS 78-83-1)	TWA	50 ppm	
Titanium oxide (CAS 13463-67-7)	TWA	3 mg/m3 10 mg/m3	Respirable fraction. Total dust.

#### Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value
1-Propanol, 2-methyl- (CAS 78-83-1)	TWA	50 ppm
Titanium oxide (CAS 13463-67-7)	TWA	10 mg/m3

#### Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value
1-Propanol, 2-methyl- (CAS 78-83-1)	TWA	50 ppm
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)	TWA	525 mg/m3
Titanium oxide (CAS 13463-67-7)	TWA	10 mg/m3

#### Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components	Type	Value	Form
1-Propanol, 2-methyl- (CAS 78-83-1)	TWA	152 mg/m3 50 ppm	
Titanium oxide (CAS 13463-67-7)	TWA	10 mg/m3	Total dust.

#### Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

Components	Type	Value
1-Propanol, 2-methyl- (CAS 78-83-1)	15 minute 8 hour	60 ppm 50 ppm
Titanium oxide (CAS 13463-67-7)	15 minute 8 hour	20 mg/m3 10 mg/m3

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
1-Propanol, 2-methyl- (CAS 78-83-1)	PEL	300 mg/m3	

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value	Form
		100 ppm	
Titanium oxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.

**US. OSHA Table Z-3 (29 CFR 1910.1000)**

Components	Type	Value	Form
Titanium oxide (CAS 13463-67-7)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

**US. ACGIH Threshold Limit Values**

Components	Type	Value
1-Propanol, 2-methyl- (CAS 78-83-1)	TWA	50 ppm
Titanium oxide (CAS 13463-67-7)	TWA	10 mg/m3

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value
1-Propanol, 2-methyl- (CAS 78-83-1)	TWA	150 mg/m3
		50 ppm

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls** Ensure adequate ventilation.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Not normally required under normal use conditions.

**Skin protection**

**Hand protection** Rubber gloves. Confirm with a reputable supplier first.

**Other** Not normally required. Avoid contact with eyes and skin.

**Respiratory protection** Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

**Thermal hazards** Not applicable.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

**9. Physical and chemical properties**

<b>Appearance</b>	Liquid
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Various colours
<b>Odor</b>	Not available.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Pour point</b>	Not available.
<b>Specific gravity</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Flash point</b>	149.0 °F (65.0 °C) ASTM D93
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.

**Upper/lower flammability or explosive limits**

**Flammability limit - lower (%)** Not available.

**Flammability limit - upper (%)** Not available.

**Explosive limit - lower (%)** Not available.

**Explosive limit - upper (%)** Not available.

**Vapor pressure** Not available.

**Vapor density** Not available.

**Relative density** Not available.

**Solubility(ies)** Not available.

**Auto-ignition temperature** Not available.

**Decomposition temperature** Not available.

**Viscosity** > 14 mm<sup>2</sup>/s @ 40°C

**Other information**

**Explosive properties** Not explosive.

**Oxidizing properties** Not oxidizing.

**VOC** approx 360 g/L

---

**10. Stability and reactivity**

---

**Reactivity** This product may react with strong oxidizing agents.

**Possibility of hazardous reactions** Hazardous polymerization does not occur.

**Chemical stability** Material is stable under normal conditions.

**Conditions to avoid** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition products** May include and are not limited to: Oxides of carbon.

---

**11. Toxicological information**

---

**Routes of exposure** Eye, Skin contact, Inhalation, Ingestion.

**Information on likely routes of exposure**

**Ingestion** May cause stomach distress, nausea or vomiting.

**Inhalation** May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be harmful.

**Skin contact** No adverse effects due to skin contact are expected.

**Eye contact** Direct contact with eyes may cause temporary irritation.

**Symptoms related to the physical, chemical and toxicological characteristics** May cause drowsiness and dizziness. Headache. Nausea, vomiting. Coughing.

**Information on toxicological effects**

**Acute toxicity** Not classified.

Components	Species	Test Results
------------	---------	--------------

1-Propanol, 2-methyl- (CAS 78-83-1)

**Acute***Dermal*

LD50	Rabbit	> 2000 mg/kg, 24 Hours, male, ECHA
------	--------	------------------------------------

*Inhalation*

LC50	Rat	> 18.2 mg/L, 6 Hours, ECHA
------	-----	----------------------------

*Oral*

LD50	Rat	> 2830 mg/kg, male, ECHA
------	-----	--------------------------

Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, C7\_9-branched alkyl esters (CAS 125643-61-0)

**Acute***Dermal*

LD50	Rat	> 2000 mg/kg, ECHA
------	-----	--------------------

Components	Species	Test Results
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Rat	> 2000 mg/kg, ECHA
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 1900 mg/kg, 24 Hours, ECHA
<i>Inhalation</i>		
LC50	Rat	> 5 mg/L, 4 Hours, ECHA
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg, ECHA
Titanium oxide (CAS 13463-67-7)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Not available	
<i>Inhalation</i>		
LC50	Rat	3.4 mg/L, 4 Hours, ECHA
<i>Oral</i>		
LD50	Rat	> 2000 mg/kg, ECHA
<b>Skin corrosion/irritation</b>	Prolonged skin contact may cause temporary irritation.	
<b>Exposure minutes</b>	Not available.	
<b>Erythema value</b>	Not available.	
<b>Oedema value</b>	Not available.	
<b>Serious eye damage/eye irritation</b>	Direct contact with eyes may cause temporary irritation.	
<b>Corneal opacity value</b>	Not available.	
<b>Iris lesion value</b>	Not available.	
<b>Conjunctival reddening value</b>	Not available.	
<b>Conjunctival oedema value</b>	Not available.	
<b>Recover days</b>	Not available.	
<b>Respiratory or skin sensitization</b>		
<b>Canada - Alberta OELs: Irritant</b>		
1-Propanol, 2-methyl- (CAS 78-83-1)		Irritant
Titanium oxide (CAS 13463-67-7)		Irritant
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.	
<b>Mutagenicity</b>	Contains < 3% (w/w) DMSO-extract	
<b>Carcinogenicity</b>	Contains < 3% (w/w) DMSO-extract Titanium Dioxide is not unbound and in a respirable form within this product. Therefore it is not considered carcinogenic as it is biologically unavailable for the intended product use.	
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>		
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)	Volume 47 - 3	Not classifiable as to carcinogenicity to humans.
Titanium oxide (CAS 13463-67-7)	Volume 47, Volume 93 - 2B	Possibly carcinogenic to humans.
<b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)</b>		
Not listed.		
<b>Reproductive toxicity</b>	Not classified.	
<b>Teratogenicity</b>	Not available.	
<b>Specific target organ toxicity - single exposure</b>	May cause drowsiness and dizziness.	
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.	
<b>Aspiration hazard</b>	Not an aspiration hazard.	

**Chronic effects**

Prolonged inhalation may be harmful.

---

**12. Ecological information**

---

**Ecotoxicity** See below**Ecotoxicological data**

Components		Species	Test Results
1-Propanol, 2-methyl- (CAS 78-83-1)			
Crustacea	EC50	Daphnia	1300 mg/L, 48 Hours
<b>Aquatic</b>			
Crustacea	EC50	Water flea (Daphnia pulex)	950 - 1200 mg/L, 48 hours
Fish	LC50	Bleak (Alburnus alburnus)	1000 - 3000 mg/L, 96 hours
Cyclohexanone Oxime (CAS 100-64-1)			
<b>Aquatic</b>			
Fish	LC50	Fathead minnow (Pimephales promelas)	189 - 230 mg/L, 96 hours
Titanium oxide (CAS 13463-67-7)			
<b>Aquatic</b>			
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/L, 48 hours
Fish	LC50	Mummichog (Fundulus heteroclitus)	> 1000 mg/L, 96 hours

**Persistence and degradability** No data is available on the degradability of any ingredients in the mixture.

**Bioaccumulative potential** No data available.

**Mobility in soil** No data available.

**Mobility in general** Not available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

---

**13. Disposal considerations**

---

**Disposal instructions** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

**14. Transport information**

---

**Transport of Dangerous Goods (TDG) Proof of Classification** Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

**U.S. Department of Transportation (DOT)**

Not regulated as dangerous goods.

**Transportation of Dangerous Goods (TDG - Canada)**

Not regulated as dangerous goods.

---

**15. Regulatory information**

---

**Canadian federal regulations** This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

**Canada CEPA Schedule I: Listed substance**

Titanium oxide (CAS 13463-67-7) Listed.

**Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number**

Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9) 1 TONNES

**Canada Priority Substances List (Second List): Listed substance**

Titanium oxide (CAS 13463-67-7) Listed.

**Export Control List (CEPA 1999, Schedule 3)**

Not listed.

**Greenhouse Gases**

Not listed.

## Precursor Control Regulations

Not regulated.

## WHMIS 2015 Exemptions

Controlled

## US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

## CERCLA Hazardous Substance List (40 CFR 302.4)

1-Propanol, 2-methyl- (CAS 78-83-1)

Listed.

## SARA 304 Emergency release notification

Not regulated.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

### SARA 302 Extremely hazardous substance

No

### SARA 311/312 Hazardous chemical

Yes

### Classified hazard categories

Flammable (gases, aerosols, liquids, or solids)  
Specific target organ toxicity (single or repeated exposure)

### SARA 313 (TRI reporting)

Not regulated.

## Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

## US state regulations

See below

### US - California Hazardous Substances (Director's): Listed substance

1-Propanol, 2-methyl- (CAS 78-83-1)

Listed.

### US - Illinois Chemical Safety Act: Listed substance

1-Propanol, 2-methyl- (CAS 78-83-1)

### US - Louisiana Spill Reporting: Listed substance

1-Propanol, 2-methyl- (CAS 78-83-1)

Listed.

### US - Minnesota Haz Subs: Listed substance

1-Propanol, 2-methyl- (CAS 78-83-1)

Listed.

Titanium oxide (CAS 13463-67-7)

Listed.

### US - Texas Effects Screening Levels: Listed substance

1-Propanol, 2-methyl- (CAS 78-83-1)

Listed.

Benzenepropanoic acid,  
3,5-bis(1,1-dimethylethyl)-4-hydroxy-,  
C7\_9-branched alkyl esters (CAS 125643-61-0)

Listed.

Cyclohexanone Oxime (CAS 100-64-1)

Listed.

Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)

Listed.

Titanium oxide (CAS 13463-67-7)

Listed.

### US. Massachusetts RTK - Substance List

1-Propanol, 2-methyl- (CAS 78-83-1)

Titanium oxide (CAS 13463-67-7)

### US. New Jersey Worker and Community Right-to-Know Act

1-Propanol, 2-methyl- (CAS 78-83-1)

Titanium oxide (CAS 13463-67-7)

### US. Pennsylvania Worker and Community Right-to-Know Law

1-Propanol, 2-methyl- (CAS 78-83-1)

Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)

Titanium oxide (CAS 13463-67-7)

### US. Rhode Island RTK

1-Propanol, 2-methyl- (CAS 78-83-1)

Titanium oxide (CAS 13463-67-7)

## US. California Proposition 65



**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



**Inventory status**


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

**16. Other information**

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 2
FLAMMABILITY	2
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X

**Disclaimer**

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

**Issue date**

27-July-2021

**Version #**

01

**Effective date**

27-July-2021

**Prepared by**

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

**Further information**

Not available.

**Other information**

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.